ProductSheet

HP LaserJet MFP M442dn (8AF71A)



Count on legendary HP performance and reliability at an affordable price.

Surpass your office printer expectations with the speed, quality, and efficiency of HP LaserJet office printers.



A printer to handle your printing volume needs

Simplify workflows with automatic paper-handling solutions, efficient scan solutions, and copying.[1,2]

Reliable and productive

Bring together remote monitoring and shared resources to help optimize your print environment.[3]

Get great value from your office printer

Help maximize value and minimize budget impact with an attractive purchase price and affordable running costs.

Featuring

High print speed

Standard networking

Scan to Email/SMB/FTP

1200 x 1200 dpi

Job accounting

PIN print

Specifications

Print quality black (best) Up to 1200 x 1200 dpi Print speed black (ISO, A4) Up to 24 ppm Print speed black (ISO, letter) Up to 24 ppm Print speed Print speed up to 24 ppm (black) Functions print, copy, scan	
Print speed black (ISO, letter) Up to 24 ppm Print speed Print speed up to 24 ppm (black)	
Print speed Print speed up to 24 ppm (black)	
Functions print, copy, scan	
Duplex printing Automatic (standard)	
Duty cycle (monthly, A4) Up to 50,000 pages per month	
Duty cycle (monthly, letter) Up to 50,000 pages per month ^[4]	
Printer smart software features 4 line LCD, 4 Quick-set button Copy	
Copier smart software features ID Copy, Book Copy, N-UP, Reduce/Enlarge	
Scanner advanced features Scan to E-mail; Scan to FTP; Scan to SMB; Scan to PC	
HP Original 335A LaserJet Toner Cartridge (yield ~7,400 ISO pages*) W1335A, HP Original 335X High- Replacement cartridges LaserJet Toner Cartridge (yield ~13,700 ISO pages*) W1335X, HP 57A Original LaserJet Imaging Drum pages) CF257A	
Connectivity, standard Hi-Speed USB 2.0 Device, Ethernet 10/100 Base TX	
Network capabilities Standard (build-in 10/100 Base TX Ethernet)	
Wireless capability No	
IP Management: DHCP, DHCPv6, B00TP, AutoIP, Static; Discovery Protocol: UPnP, mDNS, DNS, WINS; Protocol: TCP/IP (9100), TCP/IP (9100)v6, LPR, LPRv6, IPP, WSD; Management Protocol: SNMPv1.2, SNSNMPv3, SNMPv3 (IPv6), HTTP; Scan Protocol: Twain for Network, SMTP, SMB, FTP; Security Protocol: Twain for Network for Networ	MPv1.2(IPv6),
Software included Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Driver, HP MFP Scan, HP Scan to PC Lite	
Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows 8.1 (32/64 bit), Windows 8.1 (32/64 bit), Windows 8.1 (32/64 bit), Windows 2016 Server, Red Hat Enterprise Linux: 5, 6, 7, Fedora: 1 19, 20, 21, 22, 23, 24, 25, 26, openSUSE: 112, 11.4, 12.1, 121.2, 12.3, 13.1, 13.2, 42.1, Ubuntu: 11. 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SU Enterprise Desktop: 10, 11, 12, Debian: 6, 7, 8, 9, Linux Mint: 15, 16, 17, 18 ^[6] (Windows 7 or higher)	5, 16, 17, 18, 10, 12.04,
Sustainable impact specifications Mercury free	
Energy star certified No	
Copy speed (black, normal quality, Up to 24 cpm	
A4)	
A4) Copy speed black (normal, letter) Up to 24 cpm	
(T)	
Copy speed black (normal, letter) Up to 24 cpm	
Copy speed black (normal, letter) Up to 24 cpm Copy speed black duplex (A4) Up to 12 cpm	k
Copy speed black (normal, letter) Up to 24 cpm Copy speed black duplex (A4) Up to 12 cpm Copy speed black duplex (Letter) Up to 12 cpm	k
Copy speed black (normal, letter) Up to 24 cpm Copy speed black duplex (A4) Up to 12 cpm Copy speed black duplex (Letter) Up to 12 cpm Digital sending standard features Scan to Email(SMTP over SSL); Send to FTP; Send to SMB; Scan to PC; Scan to WSD; Local Address Book	k
Copy speed black (normal, letter) Up to 24 cpm Copy speed black duplex (A4) Up to 12 cpm Copy speed black duplex (Letter) Up to 12 cpm Digital sending standard features Scan to Email(SMTP over SSL); Send to FTP; Send to SMB; Scan to PC; Scan to WSD; Local Address Boo Scan speed (normal, A4) Up to 33 ipm(b&w); Up to 33 ipm(color)	k
Copy speed black (normal, letter) Up to 24 cpm Copy speed black duplex (A4) Up to 12 cpm Copy speed black duplex (Letter) Up to 12 cpm Digital sending standard features Scan to Email(SMTP over SSL); Send to FTP; Send to SMB; Scan to PC; Scan to WSD; Local Address Boo Scan speed (normal, A4) Up to 33 ipm(b&w); Up to 33 ipm(color) Scan speed (normal, letter) Up to 33 ipm(b&w), Up to 33 ipm(color)	k
Copy speed black (normal, letter) Up to 24 cpm Copy speed black duplex (A4) Up to 12 cpm Copy speed black duplex (Letter) Up to 12 cpm Digital sending standard features Scan to Email (SMTP over SSL); Send to FTP; Send to SMB; Scan to PC; Scan to WSD; Local Address Boo Scan speed (normal, A4) Up to 33 ipm(b&w); Up to 33 ipm(color) Scan speed (normal, letter) Up to 33 ipm(b&w), Up to 33 ipm(color) Scan file format PDF, JPEG, TIFF Scan technology Digital-CMOS Image Sensors (D-CIS) Scanner type Flatbed	k
Copy speed black (normal, letter) Up to 24 cpm Copy speed black duplex (A4) Up to 12 cpm Copy speed black duplex (Letter) Up to 12 cpm Digital sending standard features Scan to Email(SMTP over SSL); Send to FTP; Send to SMB; Scan to PC; Scan to WSD; Local Address Book Scan speed (normal, A4) Up to 33 ipm(b&w); Up to 33 ipm(color) Scan speed (normal, letter) Up to 33 ipm(b&w), Up to 33 ipm(color) Scan file format PDF, JPEG, TIFF Scan technology Digital-CMOS Image Sensors (D-CIS) Scanner type Flatbed Display area (imperial) 2.32 x 1.2 in	k
Copy speed black (normal, letter) Up to 24 cpm Copy speed black duplex (A4) Up to 12 cpm Digital sending standard features Scan to Email(SMTP over SSL); Send to FTP; Send to SMB; Scan to PC; Scan to WSD; Local Address Boo Scan speed (normal, A4) Up to 33 ipm(b&w); Up to 33 ipm(color) Scan speed (normal, letter) Up to 33 ipm(b&w), Up to 33 ipm(color) Scan file format PDF, JPEG, TIFF Scan technology Digital-CMOS Image Sensors (D-CIS) Scanner type Flatbed Display area (imperial) 2.32 x 1.2 in Display area (metric) 59 x 30.5 mm	k
Copy speed black (normal, letter) Up to 24 cpm Copy speed black duplex (A4) Up to 12 cpm Digital sending standard features Scan to Email(SMTP over SSL); Send to FTP; Send to SMB; Scan to PC; Scan to WSD; Local Address Boo Scan speed (normal, A4) Up to 33 ipm(b&w); Up to 33 ipm(color) Scan speed (normal, letter) Up to 33 ipm(b&w), Up to 33 ipm(color) Scan file format PDF, JPEG, TIFF Scan technology Digital-CMOS Image Sensors (D-CIS) Scanner type Flatbed Display area (imperial) 2.32 x 1.2 in Display area (metric) 59 x 30.5 mm Display 4-line LCD	k
Copy speed black (normal, letter) Up to 24 cpm Copy speed black duplex (A4) Up to 12 cpm Digital sending standard features Scan to Email(SMTP over SSL); Send to FTP; Send to SMB; Scan to PC; Scan to WSD; Local Address Boo Scan speed (normal, A4) Up to 33 ipm(b&w); Up to 33 ipm(color) Scan speed (normal, letter) Up to 33 ipm(b&w), Up to 33 ipm(color) Scan file format PDF, JPEG, TIFF Scan technology Digital-CMOS Image Sensors (D-CIS) Scanner type Flatbed Display area (imperial) 2.32 x 1.2 in Display area (metric) 59 x 30.5 mm Display 4-line LCD Dimensions (W x D x H) 560 x 540 x 417 mm	k
Copy speed black (normal, letter) Up to 24 cpm Copy speed black duplex (A4) Up to 12 cpm Digital sending standard features Scan to Email (SMTP over SSL); Send to FTP; Send to SMB; Scan to PC; Scan to WSD; Local Address Boo Scan speed (normal, A4) Up to 33 ipm(b&w); Up to 33 ipm(color) Scan speed (normal, letter) Up to 33 ipm(b&w), Up to 33 ipm(color) Scan file format PDF, JPEG, TIFF Scan technology Digital-CMOS Image Sensors (D-CIS) Scanner type Flatbed Display area (imperial) 2.32 x 1.2 in Display area (metric) 59 x 30.5 mm Display 4-line LCD Dimensions (W x D x H) 560 x 540 x 417 mm Dimensions (W x D x H) 22.05 x 21.26 x 16.42 in	k
Copy speed black (normal, letter) Up to 24 cpm Copy speed black duplex (A4) Up to 12 cpm Digital sending standard features Scan to Email(SMTP over SSL); Send to FTP; Send to SMB; Scan to PC; Scan to WSD; Local Address Boo Scan speed (normal, A4) Up to 33 ipm(b&w); Up to 33 ipm(color) Scan speed (normal, letter) Up to 33 ipm(b&w), Up to 33 ipm(color) Scan file format PDF, JPEG, TIFF Scan technology Digital-CMOS Image Sensors (D-CIS) Scanner type Flatbed Display area (imperial) 2.32 x 1.2 in Display area (metric) 59 x 30.5 mm Display area (metric) 59 x 30.5 mm Dimensions (W x D x H) 560 x 540 x 417 mm Dimensions (W x D x H) 22.05 x 21.26 x 16.42 in Weight 25.4 kg (includes supplies)	k
Copy speed black (normal, letter) Up to 24 cpm Copy speed black duplex (A4) Up to 12 cpm Digital sending standard features Scan to Email (SMTP over SSL); Send to FTP; Send to SMB; Scan to PC; Scan to WSD; Local Address Boo Scan speed (normal, A4) Up to 33 ipm(b&w); Up to 33 ipm(color) Scan speed (normal, letter) Up to 33 ipm(b&w), Up to 33 ipm(color) Scan file format PDF, JPEG, TIFF Scan technology Digital-CMOS Image Sensors (D-CIS) Scanner type Flatbed Display area (imperial) 2.32 x 1.2 in Display area (metric) 59 x 30.5 mm Display 4-line LCD Dimensions (W x D x H) 560 x 540 x 417 mm Dimensions (W x D x H) 22.05 x 21.26 x 16.42 in	k
Copy speed black (normal, letter) Up to 24 cpm Copy speed black duplex (A4) Up to 12 cpm Digital sending standard features Scan to Email(SMTP over SSL); Send to FTP; Send to SMB; Scan to PC; Scan to WSD; Local Address Boo Scan speed (normal, A4) Up to 33 ipm(b&w); Up to 33 ipm(color) Scan speed (normal, letter) Up to 33 ipm(b&w), Up to 33 ipm(color) Scan file format PDF, JPEG, TIFF Scan technology Digital-CMOS Image Sensors (D-CIS) Scanner type Flatbed Display area (imperial) 2.32 x 1.2 in Display area (metric) 59 x 30.5 mm Display area (metric) 59 x 30.5 mm Dimensions (W x D x H) 560 x 540 x 417 mm Dimensions (W x D x H) 22.05 x 21.26 x 16.42 in Weight 25.4 kg (includes supplies)	k
Copy speed black (normal, letter) Up to 24 cpm Copy speed black duplex (A4) Up to 12 cpm Digital sending standard features Scan to Email(SMTP over SSL); Send to FTP; Send to SMB; Scan to PC; Scan to WSD; Local Address Boo Scan speed (normal, A4) Up to 33 ipm(b&w); Up to 33 ipm(color) Scan speed (normal, letter) Up to 33 ipm(b&w), Up to 33 ipm(color) Scan file format PDF, JPEG, TIFF Scan technology Digital-CMOS Image Sensors (D-CIS) Scanner type Flatbed Display area (imperial) 2.32 x 1.2 in Display area (metric) 59 x 30.5 mm Display area (metric) 59 x 30.5 mm Dimensions (W x D x H) 560 x 540 x 417 mm Dimensions (W x D x H) 22.05 x 21.26 x 16.42 in Weight 25.4 kg (includes supplies) Weight 56 lb Power consumption 580 watts (Active Printing), 80 watts (Ready) 0.7 watts (Sleep), 0.2 watts (Off) [2]	k
Copy speed black (normal, letter) Copy speed black duplex (A4) Up to 12 cpm Copy speed black duplex (Letter) Digital sending standard features Scan to Email(SMTP over SSL); Send to FTP; Send to SMB; Scan to PC; Scan to WSD; Local Address Boo Scan speed (normal, A4) Up to 33 ipm(b&w); Up to 33 ipm(color) Scan speed (normal, letter) Up to 33 ipm(b&w), Up to 33 ipm(color) Scan file format PDF, JPEG, TIFF Scan technology Digital-CMOS Image Sensors (D-CIS) Scanner type Flatbed Display area (imperial) Display area (metric) 59 x 30.5 mm Display area (metric) 59 x 30.5 mm Dimensions (W x D x H) 560 x 540 x 417 mm Dimensions (W x D x H) 22.05 x 21.26 x 16.42 in Weight 25.4 kg (includes supplies) Weight 56 lb Power consumption 580 watts (Active Printing), 80 watts (Ready) 0.7 watts (Sleep), 0.2 watts (Off) [2]	k

ProductSheet | HP LaserJet MFP M442dn (8AF71A)

Top Recommended Displays, Accessories and Services

No Top Recommended Displays, Accessories and Services

ProductSheet | HP LaserJet MFP M442dn (8AF71A)

Messaging Footnotes

- [1] Automatic two-sided printing is standard on HP LaserJet MFP "dn" and "nda" models.
- [2] Reversing automatic document feeder is standard on HP LaserJet MFP "nda" models. Requires a separate purchase for "dn" models. Installation from HP Authorized service provider only.
- [3] Not all HP Web Jetadmin features are supported. HP Web Jetadmin is available for download at no additional charge at http://hp.com/go/webjetadmin.

Technical Specifications Footnotes

- [1] Ships with One HP Original Black LaserJet Introductory Toner cartridge (yield ~4,000 pages), One HP Original Imaging Drum (yield ~80,000 pages). Declared yield value in accordance with ISO/IEC 19752 in continuous printing. Actual yields vary considerably based on images printed and other factors. For more information visit: http://www.hp.com/go/learnaboutsupplies
- [2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 230V device.
- [4] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- [6] Windows 7 or higher

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

